

**BARRE**  
**Cancer Incidence by Sex, 1993 - 1997**  
**Expected and Observed Case Counts, with Standardized Incidence Ratios**

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.03	2	NC*	Male	1.80	5	278
Female	1.12	0	NC*	Female	1.37	1	NC*
Total	4.15	2	NC*	Total	3.17	6	190
<b><u>Brain and Other Central Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.99	0	NC*	Male	0.57	0	NC*
Female	0.84	0	NC*	Female	0.51	0	NC*
Total	1.83	0	NC*	Total	1.07	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.19	0	NC*	Male	2.40	1	NC*
Female	17.47	14	80	Female	2.08	1	NC*
Total	17.66	14	79	Total	4.49	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity and Pharynx</u></b>			
				Male	1.95	1	NC*
Female	1.10	1	NC*	Female	0.92	1	NC*
				Total	2.87	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	7.63	7	92				
Female	7.26	9	124	Female	2.10	4	NC*
Total	14.88	16	108				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.08	0	NC*	Male	1.14	3	NC*
Female	0.37	0	NC*	Female	1.19	2	NC*

Total	1.45	0	NC*	Total	2.33	5	215
<b><u>Hodgkin's Disease</u></b>				<b><u>Prostate</u></b>			
Male	0.48	0	NC*	Male	18.13	13	72
Female	0.36	2	NC*				
Total	0.85	2	NC*				
<b><u>Kidney and Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.74	3	NC*	Male	1.30	1	NC*
Female	1.03	0	NC*	Female	0.78	1	NC*
Total	2.77	3	NC*	Total	2.08	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.04	2	NC*	Male	0.68	0	NC*
Female	0.28	1	NC*				
Total	1.32	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.32	3	NC*	Male	0.36	0	NC*
Female	0.98	0	NC*	Female	0.89	1	NC*
Total	2.30	3	NC*	Total	1.25	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.60	0	NC*				
Female	0.25	0	NC*	Female	3.37	3	NC*
Total	0.84	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	9.62	5	52	Male	60.25	54	90
Female	7.20	5	69	Female	55.57	49	88
Total	16.82	10	59	Total	115.82	103	89

---

**Exp** = expected case count, based on the Massachusetts average age-specific incidence rates for

this cancer

**Obs** = observed case count

**SIR** = standardized incidence ratio [ (**Obs** / **Exp**) X 100 ]

\* = **SIR** and statistical significance not calculated when **Obs** < 5

+ indicates number of observed cases is statistically significantly higher than the expected number of cases

- indicates number of observed cases is statistically significantly lower than the expected number of cases

# indicates statistical significance at the  $p \leq 0.05$  level

~ indicates statistical significance at the  $p \leq 0.01$  level, as well as at the  $p \leq 0.05$  level

^ indicates statistical significance at the  $p \leq 0.001$  level, as well as at the  $p \leq 0.05$  and  $p \leq 0.01$  levels